

DATASHEET

PD60-48C/TR8

Features

- Fast response time.
- High photo sensitivity.
- Small junction capacitance.
- Compliance Halogen Free(Br < 900ppm, Cl < 900ppm, Br+Cl < 1500ppm).
- Compliance with EU REACH
- This product itself will remain within RoHS compliant version.
- Package size: 6.0mm*4.8mm*1.1mm

Description

● PD60-48C/TR8 is a high speed and high sensitive PIN photodiode in miniature flat top view lens SMD package and it is molded in a black epoxy. The device is Spectrally matched to infrared emitting diode.

Applications

- High speed photo detector
- Copier
- Game machine

Device Selection Guide

| Device No. | Chip Material | Lens Color |
|--------------|---------------|-------------|
| PD60-48C/TR8 | Silicon | Water clear |

联系方式:


北京都城亿光EVERSTARS

邮箱:sales@everstars.com.cn

电话:010-62569599

更多产品:

www.everstars.com.cn






Rev 3



Package Dimensions



• Notes:

- 1. All dimensions are in millimeters
- 2. Tolerances unless dimensions ± 0.1 mm

DATASHEET PD60-48C/ TR8




Absolute Maximum Ratings (Ta=25°C)


| Parameter | Symbol | Ratings 660nm(Red) 910nm(IR) | Unit |
|--|--------|---------------------------------|----------------------|
| Reverse Voltage | V_R | 32 | V |
| Operating Temperature | Topr | -25 +85 | $^{\circ}\mathbb{C}$ |
| Storage Temperature | Tstg | -25 +85 | $^{\circ}\mathbb{C}$ |
| Soldering Temperature | Tsol | 260 | $^{\circ}\mathbb{C}$ |
| Power Dissipation at(or below) 25°C Free Air Temperature | Рс | 150 | mW |


Flortro-Ontical Characteristics (Ta=25°C)


| Electro-Optical Characteristics (Ta=25°C) | | | | | | | | |
|---|------------------|---|------|------|------|---------|--|--|
| Parameter | Symbol | Condition | Min. | Тур. | Max. | Unit | | |
| Range Of Spectral Bandwidth | $\lambda_{0.1}$ | | 420 | | 1100 | nm | | |
| Wavelength Of Peak Sensitivity | λр | | | 940 | | nm | | |
| Open-Circuit Voltage | V _{OC} | Ee=1mW /cm ² λ_P =875nm | | 0.35 | | V | | |
| Short-Circuit Current | I_{SC} | Ee=1mW /cm ² λ_P =875nm | | 32.0 | | μ A | | |
| Reverse Light Current | I_{L} | Ee=1mW /cm ² λ_P =875nm VR=5V | 17.0 | 33.5 | | μΑ | | |
| | | $Ee=1 \text{mW/cm}^2$ $\lambda_P=940 \text{nm}$ $VR=5V$ | | 37.0 | | | | |
| Dark Current | I_D | Ee=0mW/cm ² VR=10V | | | 20 | nA | | |
| Reverse Breakdown Voltage | V_{BR} | Ee=0mW /cm ² IR=100μA | 33 | 170 | | V | | |
| Forward Voltage | $V_{\rm F}$ | IF=20mA | 0.5 | | 1.3 | V | | |
| Total Capacitance | C_t | $Ee=0mW/cm^{2}$ $f=1MHz$ $V_{R}=3V$ | | 44 | | pF | | |
| Rise Time | $t_{\rm r}$ | $V_R=5V$ | | 50 | | ns | | |
| Fall Time | t_{f} | $R_L=1000\Omega$ | | 50 | | | | |
| View Angle | 2θ1/2 | VR = 5V | | 125 | | deg | | |


Typical Electro-Optical Characteristics Curves













DATASHEET PD60-48C/ TR8



Precautions For Use

1. Over-current-proof


Customer must apply resistors for protection, otherwise slight voltage shift will cause big current change (Burn out will happen).

2. Storage

- 2.1 Do not open moisture proof bag before the products are ready to use.
- 2.2 Before opening the package, the Photodiode should be kept at 30°C or less and 90%RH or less.
- 2.3 The Photodiode should be used within a year.
- 2.4 After opening the package, the Photodiode should be kept at 30°C or less and 60%RH or less.
- 2.5 The Photodiode should be used within 24 hours (1 days) after opening the package
- 2.6 If the moisture absorbent material (silica gel) has faded away or the Photodiode have exceeded the storage time, baking treatment should be performed using the following conditions. Baking treatment: 60±5°C for Min. Min. 24 hours.

3. Soldering Condition

3.1 Pb-free solder temperature profile



- 3.2 Reflow soldering should not be done more than two times.
- 3.3 When soldering, do not put stress on the Photodiode during heating.
- 3.4 After soldering, do not warp the circuit board.


4. Soldering Iron

Each terminal is to go to the tip of soldering iron temperature less than 350°C for 3 seconds within once in less than the soldering iron capacity 25W. Leave two seconds and more intervals, and do soldering of each terminal. Be careful because the damage of the product is often started at the time of the hand solder.




5. Repairing


Repair should not be done after the Photodiode have been soldered. When repairing is unavoidable, a double-head soldering iron should be used (as below figure). It should be confirmed beforehand whether the characteristics of the Photodiode will or will not be damaged by repairing.



Package Dimensions




Carrier Tape Dimensions: Loaded quantity 1000PCS per reel.



Note: 1. Dimensions are in millimeters

2. The tolerances unless mentioned is ± 0.1 mm

Moisture Resistant Packaging



Label Form Specification



CPN: Customer's Production Number

P/N : Production Number QTY: Packing Quantity

CAT: Ranks

HUE: Peak Wavelength

REF: Reference

LOT No: Lot Number

MADE IN TAIWAN: Production Place



DISCLAIMER

- 1. EVERLIGHT AMERICAS reserves the right(s) on the adjustment of product material mix for the specification.
- 2. The product meets EVERLIGHT AMERICAS published specification for a period of twelve (12) months from date of shipment.
- 3. The graphs shown in this datasheet are representing typical data only and do not show guaranteed values.
- 4. When using this product, please observe the absolute maximum ratings and the instructions for using outlined in these specification sheets. EVERLIGHT AMERICAS assumes no responsibility for any damage resulting from the use of the product which does not comply with the absolute maximum ratings and the instructions included in these specification sheets.
- 5. These specification sheets include materials protected under copyright of EVERLIGHT AMERICAS. Reproduction in any form is prohibited without obtaining EVERLIGHT AMERICAS's prior consent.
- 6. This product is not intended to be used for military, aircraft, automotive, medical, life sustaining or life saving applications or any other application which can result in human injury or death. Please contact authorized EVERLIGHT Americas sales agent for special application request.

联系方式:

北京都城亿光EVERSTARS

邮箱:sales@everstars.com.cn

电话:010-62569599

更多产品:

www.everstars.com.cn

